

VALID FROM 1 APRIL 2018

**GEBERIT
SUPPLY
SYSTEMS
TOOLING
PRODUCT
GUIDE AND
PRICE LIST**

**KNOW
HOW
INSTALLED***














Tools

Tools for Geberit Mepla.....	6
Assortment overview: Geberit Mepla compatibility [1] and [2].....	6
Hand-operated pressing tools.....	8
Pressing tools compatibility [1].....	8
Pressing tools compatibility [2].....	11
Pipe processing tools.....	16
Pressure test plugs.....	19
Test equipment.....	19
Accessories.....	20
Tools for Geberit Mapress.....	21
Assortment overview: Geberit Mapress compatibility [1], [2], [3], [2XL] and HCPS ..	21
Assortment overview: Geberit pressing collars.....	25
Pressing tools compatibility [1].....	26
Pressing tools compatibility [2].....	29
Pressing tools compatibility [2XL].....	36
Pressing tools compatibility [3].....	38
Pressing tools HCPS.....	42
Pipe processing tools.....	43
Pressure test plugs.....	45
Accessories.....	46
Appendix.....	48
Abbreviation.....	48
Sales and delivery conditions.....	49
Index.....	52












Tools for Geberit Mepla

Assortment overview: Geberit Mepla compatibility [1] and [2]

Geberit Great Britain, version: February 2018

	Art. no.	Dimension
Compatibility [1]		
 Geberit pressing tool ACO 102 [1], in case	691.015.P5.1	
 Geberit pressing tool ACO 103plus [1], in case	691.017.P5.1	
 Geberit Mepla set of pressing jaws [1]	690.180.00.1	16 / 20 / 26 mm
 Geberit Mepla set of pressing jaws [1]	690.181.00.1	16 / 20 / 26 / 32 mm
 Geberit Mepla set of pressing jaws [1]	690.182.00.1	16 / 20 / 26 / 32 / 40 mm
 Geberit Mepla pressing jaw [1]	690.140.00.1	16 mm
	690.141.00.1	20 mm
	690.142.00.1	26 mm
	690.143.00.1	32 mm
	690.144.00.1	40 mm
Compatibility [2]		
 Geberit hand-operated pressing tool MFP 2 [2]	90523	
 Geberit pressing tool EFP 203 [2], in case	691.113.P5.1	
	691.113.1P.1	
 Geberit pressing tool ECO 203 [2], in case	691.214.P5.1	
	691.214.1P.1	
 Geberit pressing tool ACO 203plus [2], in case	691.218.P5.2	
 Geberit pressing tool ACO 203XLplus [2XL], in case	691.228.P5.2	

Geberit Great Britain, version: February 2018

	Art. no.	Dimension
	690.250.00.1	16 / 20 / 26 mm
	690.251.00.1	16 / 20 / 26 / 32 mm
 Geberit Mepla set of pressing jaws [2]	690.252.00.1	16 / 20 / 26 / 32 / 40 mm
	690.253.00.1	16 / 20 / 26 / 32 / 40 / 50 mm
	690.254.00.1	20 / 26 / 32 / 40 / 50 mm
 Geberit Mepla pressing jaw [2]	690.240.00.1	16 mm
	690.241.00.1	20 mm
	690.242.00.1	26 mm
	690.243.00.1	32 mm
	690.244.00.1	40 mm
 690.245.00.1	50 mm	
 Geberit Mepla pressing collar set [2], in case	690.467.00.2	63 mm
 Geberit Mepla pressing collar [2]	691.170.00.1	63 mm
		691.171.00.1
 Geberit adaptor jaw ZB 203 [2]	691.180.00.1	

Tools

Tools for Geberit Mepla
Hand-operated pressing tools

Hand-operated pressing tools

Geberit Mepla hand-operated pressing tool set, in case



Application purposes

- For pressing Geberit Mepla pressfittings

Scope of delivery

- Hand-operated pressing pliers
- Scissors
- Mepla PowerTest
- Case

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
690.485.00.4	16 / 20	1	518.98
690.486.00.4	16 / 20 / 26	1	748.86

Accessories

- Carrying belt for Geberit case

Geberit Mepla hand-operated pressing pliers



Application purposes

- For pressing Geberit Mepla pressfittings

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
690.475.00.1	16	1	193.46
690.476.00.1	20	1	193.46
690.474.00.1	26	1	233.14

Pressing tools compatibility [1]

New

Geberit Mepla set of pressing jaws [1]



Application purposes

- For pressing tools with Geberit compatibility [1]
- For pressing Geberit Mepla pressfittings

Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

Scope of delivery

- Pressing jaws [1]
- Pipe cutter
- Grease pencil, yellow
- PowerTest
- Deburring and calibration tool

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
690.180.00.1	16 / 20 / 26	1	591.10
690.181.00.1	16 / 20 / 26 / 32	1	849.93
690.182.00.1	16 / 20 / 26 / 32 / 40	1	1049.70

Available as of April 2018



- Replacement for art. no. 691.080.00.1, 691.081.00.1, 691.082.00.1

New

Geberit Mepla pressing jaw [1]



Application purposes

- For pressing tools with Geberit compatibility [1]
- For pressing Geberit Mepla pressfittings

- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

Characteristics

- Service-free
- Operable with one hand

Art. no.	d, Ø [mm]	SU1 [pc.]	GBP/pc.
690.140.00.1	16	1	151.22
690.141.00.1	20	1	161.30
690.142.00.1	26	1	177.43
690.143.00.1	32	1	191.54
690.144.00.1	40	1	219.77

Available as of April 2018

Accessories

- Geberit PowerTest → p. 20



- Replacement for art. no. 690.350.00.1, 690.351.00.1, 690.352.00.1, 690.353.00.1, 690.354.00.1

New

Geberit pressing tool ACO 103plus [1], in case



Application purposes

- For pressing Geberit pressing systems

Characteristics

- Geberit compatibility [1]
- Head rotating
- With Bluetooth® interface for the NovoCheck app
- Hydraulic

Technical data

Nominal force	19 kN
Protection class	III
Protection degree	IP20
Operating voltage	12 V DC
Power consumption	240 W

Technical data

Rechargeable battery type	lithium-ion battery
Operating temperature	-20 - +60 °C
Operating temperature, rechargeable battery	-10 - +50 °C
Sound pressure level at user's ear	75.5 dB(A)
Maximum sound power level	86.5 dB(A)
Vibration emission value	≤ 2.5 m/s ²
Weight	1.7 kg

Scope of delivery

- Battery-operated pressing tool [1], 12 V DC
- Battery charger
- BRUNOX® Turbo-Spray®
- 2 lithium-ion rechargeable batteries, 12 V / 1.5 Ah
- Case

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	SU1 [pc.]	GBP/pc.
691.017.P5.1	230 V / 50–60 Hz	55	BS 1363 A	1	1707.62

Available as of July 2018

Accessories

- Carrying belt for Geberit case



- Replacement for art. no. 691.015.P5.1

Prices exclusive of VAT

Tools

Tools for Geberit Mepla
Hand-operated pressing tools

Geberit pressing tool ACO 102 [1], in case



Application purposes

- For pressing Geberit pressing systems

Characteristics

- Geberit compatibility [1]
- Hydraulic
- Head rotating

Technical data

Nominal force	19 kN
Protection class	III
Protection degree	IP20
Operating voltage	12 V DC
Power consumption	240 W
Rechargeable battery type	lithium-ion battery

Technical data

Operating temperature	-20 - +60 °C
Operating temperature, rechargeable battery	-10 - +50 °C
Sound pressure level at user's ear	75.5 dB(A)
Maximum sound power level	86.5 dB(A)
Vibration emission value	≤ 2.5 m/s ²
Weight	1.7 kg

Scope of delivery

- Battery-operated pressing tool [1], 12 V DC
- Battery charger
- BRUNOX® Turbo-Spray®
- 2 lithium-ion rechargeable batteries, 12 V / 1.5 Ah
- Case

Art. no.		Nominal voltage / mains frequency	Power consumption [W]	Plug type	SU1 [pc.]	GBP/pc.
691.015.P5.1	PO	230 V / 50–60 Hz	55	BS 1363 A	1	1707.62

PO: Phase out as of July 2018

Accessories

- Carrying belt for Geberit case

Geberit Li-ion battery 12 V



Application purposes

- For Geberit pressing tools ACO 103plus
- For Geberit pressing tools ACO 102

Technical data

Operating temperature	-10 - +50 °C
-----------------------	--------------

Art. no.	Nominal voltage / mains frequency	Battery capacity [Ah]	SU1 [pc.]	GBP/pc.
690.016.00.1	12 V DC	1.5	1	175.15

Geberit battery charger 12 V



Application purposes

- For Geberit lithium-ion batteries 12 V
- For Geberit pressing tools ACO 103plus
- For Geberit pressing tools ACO 102

Technical data

Output voltage	12 V DC
Charging current	3 A

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	Battery charge time [min]	SU1 [pc.]	GBP/pc.
242.614.P5.1	230 V / 50–60 Hz	55	BS 1363 A	30	1	160.48

Pressing tools compatibility [2]

Geberit Mepla set of pressing jaws [2]



Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mepla pressfittings

Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

Scope of delivery

- Pressing jaws [2]
- Pipe cutter
- Grease pencil, yellow
- PowerTest
- Deburring and calibration tool

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
690.250.00.1	16 / 20 / 26	1	656.17
690.251.00.1	16 / 20 / 26 / 32	1	862.33
690.252.00.1	16 / 20 / 26 / 32 / 40	1	1093.12
690.253.00.1	16 / 20 / 26 / 32 / 40 / 50	1	1362.23
690.254.00.1	20 / 26 / 32 / 40 / 50	1	1196.96

Accessories

- Case for Geberit pressing jaws [2], [3] → p. 12



- Not suitable for Geberit pressing tools PWH 40

Geberit Mepla pressing jaw [2]



Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mepla pressfittings

Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
690.240.00.1	16	1	181.55
690.241.00.1	20	1	194.21
690.242.00.1	26	1	206.87
690.243.00.1	32	1	230.09
690.244.00.1	40	1	255.43
690.245.00.1	50	1	269.93

Accessories

- Case for Geberit pressing jaws [2], [3] → p. 12
- Geberit PowerTest → p. 20



- Not suitable for Geberit pressing tools PWH 40

Tools

Tools for Geberit Mepla
Pressing tools compatibility [2]

Case for Geberit pressing jaws [2], [3]



Characteristics

- Can be equipped with six Geberit Mepla pressing jaws [2]
- Can be equipped with six Geberit Mapress pressing jaws [2] or [3]
- Can be equipped with Geberit Mepla deburring and calibration tool \varnothing 16–50 mm
- Can be equipped with a Geberit Mapress pipe deburrer \varnothing 12–54 mm
- Can be equipped with a Geberit Mapress pipe cutter up to \varnothing 50 mm or Geberit scissors

- Can be equipped with a Geberit Mapress pipe cutter up to \varnothing 54 mm
- Can be equipped with a Geberit Mapress insertion distance template with marker pen
- Can be equipped with a BRUNOX® Turbo-Spray® 100 ml
- Can be equipped with a Geberit grease pencil and two-meter ruler

Technical data

Material	ABS
----------	-----

Art. no.

SU1 GBP/pc.
[pc.]

691.137.00.1

1 98.22

Accessories

- Carrying belt for Geberit case

Geberit Mepla pressing collar set [2], in case



Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mepla pressfittings

Characteristics

- Can be equipped with Geberit Mepla pressing jaw \varnothing 75 mm

Scope of delivery

- Pressing collar, \varnothing 63 mm
- Adaptor jaw ZB 203 [2]
- Pipe cutter
- BRUNOX® Turbo-Spray®
- Deburring tool
- Grease pencil, yellow
- Case

Art. no.

d, \varnothing
[mm]

SU1 GBP/pc.
[pc.]

690.467.00.2

63

1 1006.48

Accessories

- Carrying belt for Geberit case



- Not suitable for Geberit pressing tools PWH 40

Geberit Mepla pressing collar [2]



Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mepla pressfittings

Art. no.

d, \varnothing
[mm]

SU1 GBP/pc.
[pc.]

691.170.00.1

63

1 618.93

691.171.00.1

75

1 925.51

To order additionally

- Geberit adaptor jaw ZB 203 [2] → p. 13



- Not suitable for Geberit pressing tools PWH 40

Geberit adaptor jaw ZB 203 [2]



Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing with Geberit Mepla pressing collars [2]
- For pressing with Geberit Mapress pressing collars [2]

Art. no.	SU1	GBP/pc.
	[pc.]	
691.180.00.1	1	289.27



- Also for use with compatibility [2XL] tool for Geberit Mapress collars up to 66.7 mm
- Not suitable for Geberit pressing tools PWH 40

Geberit hand-operated pressing tool MFP 2 [2]



Application purposes

- For pressing Geberit pressing systems

Characteristics

- Geberit compatibility [2]
- Hydraulic

Technical data

Nominal force	32 kN
Operating temperature	-20 - +60 °C
Weight	4.5 kg

Scope of delivery

- Case

Art. no.	SU1	GBP/pc.
	[pc.]	
90523	1	1179.58

Tools

Tools for Geberit Mepla
Pressing tools compatibility [2]

Geberit pressing tool EFP 203 [2], in case



Application purposes

- For pressing Geberit pressing systems

Characteristics

- Geberit compatibility [2]
- Head rotating
- Hydraulic

Technical data

Nominal force	32 kN
Protection class	II
Protection degree	IP30

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	SU1 [pc.]	GBP/pc.
691.113.1P.1	115 V / 50–60 Hz	450	CEE 17 4h, yellow	1	1396.82
691.113.P5.1	230 V / 50–60 Hz	450	BS 1363 A	1	1316.24

Accessories

- Carrying belt for Geberit case



- 230V for normal UK mains supplies, 115V for UK construction site use.

Geberit pressing tool ECO 203 [2], in case



Application purposes

- For pressing Geberit pressing systems

Characteristics

- Geberit compatibility [2]
- LED pressing point light
- Hydraulic

Technical data

Nominal force	32 kN
Protection class	II
Protection degree	IP20

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	SU1 [pc.]	GBP/pc.
691.214.1P.1	115 V / 50–60 Hz	450	CEE 17 4h, yellow	1	1530.04
691.214.P5.1	230 V / 50–60 Hz	450	BS 1363 A	1	1530.04

Accessories

- Carrying belt for Geberit case



- 230V for normal UK mains supplies, 115V for UK construction site use.

Technical data

Cable length	5 m
Operating temperature	-20 - +60 °C
Sound pressure level at user's ear	78 dB(A)
Vibration emission value	≤ 2.5 m/s ²
Weight	3 kg

Scope of delivery

- Pressing tool [2]
- BRUNOX® Turbo-Spray®
- Case

New

Geberit pressing tool ACO 203plus [2], in case



Application purposes

- For pressing Geberit pressing systems

Characteristics

- Geberit compatibility [2]
- LED pressing point light
- With Bluetooth® interface for the NovoCheck app
- Hydraulic
- Brushless motor

Technical data

Nominal force	32 kN
Protection class	III
Protection degree	IP20
Operating voltage	18 V DC
Power consumption	450 W

Technical data

Rechargeable battery type	lithium-ion battery
Operating temperature	-20 - +60 °C
Operating temperature, rechargeable battery	-10 - +50 °C
Sound pressure level at user's ear	78 dB(A)
Maximum sound power level	89 dB(A)
Vibration emission value	≤ 2.5 m/s ²
Weight	2.8 kg

Scope of delivery

- Battery-operated pressing tool [2], 18 V DC
- Battery charger
- BRUNOX® Turbo-Spray®
- 2 lithium-ion rechargeable batteries, 18 V / 1.5 Ah
- Case

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	SU1 [pc.]	GBP/pc.
691.218.P5.2	230 V / 50–60 Hz	90	BS 1363 A	1	2078.20

Available as of April 2018

Accessories

- Carrying belt for Geberit case



- Replacement for art. no. 691.218.P5.1

Geberit Li-ion battery 18 V



Application purposes

- For Geberit pressing tools ACO 203plus
- For Geberit pressing tools ACO 203XLplus
- For Geberit pressing tools ACO 202
- Für Geberit pressing tools ACO 203
- For Geberit pressing tools ACO 203XL

Characteristics

- Charge level indicator

Technical data

Operating temperature	-10 - +50 °C
-----------------------	--------------

Art. no.	Nominal voltage / mains frequency	Battery capacity [Ah]	SU1 [pc.]	GBP/pc.
690.599.00.1	18 V DC	1.5	1	228.66
690.600.00.1	N 18 V DC	5	1	484.16

N: New, available as of September 2017

Tools

Tools for Geberit Mepla
Pipe processing tools

Geberit battery charger 18 V



Application purposes

- For Geberit lithium-ion batteries 18 V
- For Geberit pressing tools ACO 203plus
- For Geberit pressing tools ACO 203XLplus
- For Geberit pressing tools ACO 202
- Für Geberit pressing tools ACO 203
- For Geberit pressing tools ACO 203XL

Technical data

Output voltage	18 V DC
Charging current	3 A

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	Battery charge time [min]	SU1 [pc.]	GBP/pc.
690.598.P5.1	230 V / 50–60 Hz	90	BS 1363 A	30	1	189.72

Pipe processing tools

Geberit Mepla pliers



Application purposes

- For cutting Geberit Mepla system pipes, ML, and protective tubes to length
- For deburring and calibrating Geberit Mepla system pipes, ML

Characteristics

- Calibration and deburring mandrel

Art. no.	d, \emptyset [mm]	SU1 [pc.]	GBP/pc.
690.134.00.1	16 / 20 / 26	1	116.07

Cutting wheel set, for Geberit pliers



Scope of delivery

- Cutting wheel
- Bolt

Art. no.	d, \emptyset [mm]	SU2 [pc.]	SU1 [pc.]	GBP/pc.
690.936.00.1	16 / 20 / 26	5	1	21.71

Geberit Mepla calibration and deburring mandrel set



Scope of delivery

- Bolt
- Deburring mandrel, \emptyset 16 and 26 mm
- Deburring mandrel, \emptyset 20 mm

Art. no.	d, \emptyset [mm]	SU1 [pc.]	GBP/pc.
690.933.00.5	16 / 20 / 26	1	27.05

Geberit pipe cutter



Application purposes

- For cutting Geberit Mepla system pipes, ML, to length
- For cutting Geberit Volex system pipes, ML, to length

Characteristics

- Spare cutting wheel in handle

Art. no.	d, Ø [mm]	SU1 [pc.]	GBP/pc.
690.112.00.1	16-50	1	73.30
690.115.00.1	32-75	1	138.19

Set of cutting wheels for Geberit Mepla pipe cutter



Scope of delivery

- 2 cutting wheels
- Axle

Art. no.	d, Ø [mm]	SU3 [pc.]	SU1 [pc.]	GBP/pc.
690.111.00.1	16-75	10	1	14.56

Geberit Mepla deburring and calibration tool



Application purposes

- For deburring and calibrating Geberit Mepla system pipes, ML

Art. no.	d, Ø [mm]	SU1 [pc.]	GBP/pc.
690.211.00.1	16 / 20 / 26 / 32 / 40 / 50	1	71.85
690.212.00.1	16 / 20 / 26	1	50.26

Geberit deburring tool



Application purposes

- For deburring Geberit Mepla system pipes, ML

Art. no.	d, Ø [mm]	SU1 [pc.]	GBP/pc.
690.214.00.1	63 / 75	1	19.08

Blade for Geberit deburring tool



Art. no.	d, Ø [mm]	SU2 [pc.]	GBP/pc.
690.215.00.1	63 / 75	2	7.00

Tools

Tools for Geberit Mepla
Pipe processing tools

Geberit grease pencil



Application purposes

- For marking on Geberit Mepla system pipes
- For marking on Geberit Volex system pipes
- For marking on Geberit PushFit system pipes

Characteristics

- Wax paint marker with paper jacket

Art. no.

SU2 GBP/pc.
[pc.]

958.782.00.1

12 3.47

Geberit handheld bending tool set, hydraulic, in case



Application purposes

- For bending Geberit Mepla system pipes, ML
- For bending Geberit PushFit system pipes, ML

- Grease pencil, yellow
- Tongs body
- Two-meter ruler
- Case

Scope of delivery

- 4 bending cheeks, \varnothing 16, 20, 26 and 32 mm
- 4 bending dies, \varnothing 16, 20, 26 and 32 mm

Art. no.

d, \varnothing
[mm]

SU1 GBP/pc.
[pc.]

690.412.00.3



16 / 20 / 26 / 32

1 476.29

Accessories

- Carrying belt for Geberit case

Geberit external bending spring



Application purposes

- For bending Geberit Mepla system pipes, ML
- For bending Geberit Volex system pipes, ML
- For bending Geberit PushFit system pipes, ML

Characteristics

- Zinc-plated

Art. no.

d, \varnothing
[mm]

L
[cm]

SU1 GBP/pc.
[pc.]

690.912.00.1

16

50

1 9.99

690.913.00.1


20

50

1 12.64

Pressure test plugs

Geberit Mepla pressure test plug for pipe end



Application purposes

- For temporarily closing Geberit Mepla pipe ends during the pressure test
- For pressure tests with cold water up to 25 bar / 2500 kPa

Characteristics

- Reusable
- O-ring made of EPDM

Technical data

Material	Brass
----------	-------

Art. no.	d, ø [mm]	Rp ["]	SU3 [pc.]	SU2 [pc.]	SU1 [pc.]	GBP/pc.
601.485.00.1	16	1/2		5	1	12.17
602.485.00.1	20	1/2	25	5	1	17.27
603.485.00.1	26	1/2	25	5	1	18.68
604.485.00.1	32	1/2		5	1	23.70
605.485.00.1	40	1/2			1	46.00
606.485.00.1	50	1/2			1	62.02
607.485.00.1	63	1/2			1	129.35

Clamping ring and O-ring set, for Geberit Mepla pressure test plug



Scope of delivery

- O-ring made of EPDM
- Clamping ring

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
241.491.00.1	16	1	2.43
241.492.00.1	20	1	3.33
241.493.00.1	26	1	4.19
241.494.00.1	32	1	5.53
241.495.00.1	40	1	7.74
241.496.00.1	50	1	13.29
241.497.00.1	63	1	77.37

Test equipment

Geberit Mepla PowerTest



Application purposes

- For testing Geberit Mepla hand-operated pressing pliers and pressing jaws

Art. no.	SU3 [pc.]	SU2 [pc.]	GBP/pc.
690.491.00.1	50	10	2.53



- For use with the new style galvanised Mapress and Mepla jaws

Tools

Tools for Geberit Mepla
Accessories

Geberit PowerTest



Application purposes

- For testing service-free Geberit pressing jaws
- Suitable exclusively for testing zinc-plated Geberit Mepla pressing jaws
- Suitable exclusively for testing zinc-plated Geberit Volex pressing jaws
- Suitable exclusively for testing zinc-plated Geberit Mapress pressing jaws

Art. no.

690.493.00.1

SU3 SU2 SU1 GBP/pc.
[pc.] [pc.] [pc.]

50 10 1 3.64



- For use with the new style galvanised Mapress and Mepla jaws

Accessories

BRUNOX® Turbo-Spray®



Application purposes

- For cleaning and lubricating Geberit tools

Characteristics

- Content 125 ml

Art. no.

90000

SU3 SU1 GBP/pc.
[pc.] [pc.]

10 1 23.67

Geberit gearbox grease



Application purposes

- For Geberit pressing tools EFP 2

Art. no.

90010









SU1 GBP/pc.
[pc.]

1 23.44

Tools for Geberit Mapress

Assortment overview: Geberit Mapress compatibility [1], [2], [3], [2XL] and HCPS













Geberit Great Britain, version: February 2018

	Art. no.	Dimension
Compatibility [1]		
 Geberit pressing tool ACO 102 [1], in case	691.015.P5.1	
 Geberit pressing tool ACO 103plus [1], in case	691.017.P5.1	
 Geberit Mapress set of pressing jaws [1]	691.090.00.2	12 / 15 / 18 / 22 / 28 / 35 mm
	691.092.00.2	15 / 18 / 22 / 28 / 35 mm
	691.091.00.1	15 / 18 / 22 / 28 mm
	691.093.00.2	15 / 22 / 28 / 35 mm
 Geberit Mapress pressing jaw [1]	90241	12 mm
	90242	15 mm
	90243	18 mm
	90244	22 mm
	90245	28 mm
 Geberit Mapress set of pressing jaws [1]	690.190.00.1	12 / 15 / 18 / 22 / 28 / 35 mm
	690.192.00.1	15 / 18 / 22 / 28 / 35 mm
	690.191.00.1	15 / 18 / 22 / 28 mm
	690.193.00.1	15 / 22 / 28 / 35 mm
	690.195.00.1	12 / 15 / 22 / 28 / 35 mm
 Geberit Mapress pressing jaw [1]	690.121.00.1	12 mm
	690.122.00.1	15 mm
	690.123.00.1	18 mm
	690.124.00.1	22 mm
	690.125.00.1	28 mm
	690.126.00.1	35 mm
Compatibility [2]		
 Geberit hand-operated pressing tool MFP 2 [2]	90523	
 Geberit pressing tool EFP 203 [2], in case	691.113.P5.1	
	691.113.1P.1	










Tools

Tools for Geberit Mapress Accessories

Geberit Great Britain, version: February 2018

	Art. no.	Dimension
 <p>Geberit pressing tool ECO 203 [2], in case</p>	691.214.P5.1	
	691.214.1P.1	
 <p>Geberit pressing tool ACO 203plus [2], in case</p>	691.218.P5.2	
 <p>Geberit Mapress set of pressing jaws [2]</p>	691.290.00.1	12 / 15 / 18 / 22 / 28 / 35 mm
	691.291.00.1	15 / 18 / 22 / 28 mm
	691.292.00.1	15 / 18 / 22 / 28 / 35 mm
	691.293.00.1	15 / 22 / 28 / 35 mm
 <p>Geberit Mapress set of pressing jaws [2]</p>	691.295.00.1	12 / 15 / 22 / 28 / 35 mm
 <p>Geberit Mapress pressing jaw [2]</p>	90531	12 mm
	90532	15 mm
	90533	18 mm
	90534	22 mm
	90535	28 mm
 <p>90536</p>	35 mm	
 <p>Geberit Mapress set of pressing jaws [2]</p>	690.230.00.1	12 / 15 / 18 / 22 / 28 / 35 mm
	690.231.00.1	15 / 18 / 22 / 28 mm
	690.232.00.1	15 / 18 / 22 / 28 / 35 mm
	690.233.00.1	15 / 22 / 28 / 35 mm
	690.235.00.1	12 / 15 / 22 / 28 / 35 mm
 <p>Geberit Mapress pressing jaw [2]</p>	690.221.00.1	12 mm
	690.222.00.1	15 mm
	690.223.00.1	18 mm
	690.224.00.1	22 mm
	690.225.00.1	28 mm
 <p>690.226.00.1</p>	35 mm	
 <p>Geberit Mapress set of pressing collars [2], in case</p>	691.296.00.2	42 / 54 mm
	691.297.00.3	42 / 54 / 66.7 mm
 <p>Geberit Mapress pressing collar [2], [3]</p>	691.181.00.1	35 mm
	691.182.00.1	42 mm
	691.183.00.1	54 mm
	691.185.00.3	66.7 mm
 <p>Geberit adaptor jaw ZB 203 [2]</p>	691.180.00.1	








Geberit Great Britain, version: February 2018

	Art. no.	Dimension
Compatibility [2XL]		
 Geberit pressing tool ACO 203XLplus [2XL], in case	691.228.P5.2	
 Geberit Mapress set of pressing collars [2XL], in case	691.188.00.1	76.1 / 88.9 mm
 Geberit Mapress pressing collar set [2XL], in case	691.189.00.1	108 mm
 Geberit Mapress pressing collar [2XL] / [3]	90797	76.1 mm
	90798	88.9 mm
	90799	108 mm
 Geberit Mapress adaptor jaw ZB 221 [2XL]	691.186.00.1	76.1 / 88.9 / 108 mm
 Geberit Mapress adaptor jaw ZB 222 [2XL]	691.187.00.1	108 mm
Compatibility [3]		
 Geberit pressing tool ECO 301 [3], in case	691.310.P5.3	
	691.312.1P.3	
 Geberit Mapress set of pressing jaws [3]	691.390.00.1	12 / 15 / 18 / 22 / 28 / 35 mm
	691.391.00.1	15 / 18 / 22 / 28 mm
	691.392.00.1	15 / 18 / 22 / 28 / 35 mm
	691.393.00.1	15 / 22 / 28 / 35 mm
 Geberit Mapress pressing jaw [3]	90641	12 mm
	90642	15 mm
	90643	18 mm
	90644	22 mm
	90645	28 mm
	90646	35 mm

Tools

Tools for Geberit Mapress Accessories

Geberit Great Britain, version: February 2018








	Art. no.	Dimension
 <p>Geberit Mapress set of pressing collars [3], in case</p>	691.396.00.2	42 / 54 mm
	691.397.00.3	42 / 54 / 66.7 mm
	691.388.00.1	76.1 / 88.9 mm
	691.389.00.1	108 mm
 <p>Geberit Mapress pressing collar [2], [3]</p>	691.181.00.1	35 mm
	691.182.00.1	42 mm
	691.183.00.1	54 mm
	691.185.00.3	66.7 mm
 <p>Geberit Mapress pressing collar [2XL] / [3]</p>	90797	76.1 mm
	90798	88.9 mm
	90799	108 mm
 <p>Geberit Mapress adaptor jaw ZB 303 [3]</p>	90648	35 / 42 / 54 / 66.7 mm
 <p>Geberit Mapress adaptor jaw ZB 323 [3]</p>	90795	76.1 / 88.9 / 108 mm
 <p>Geberit Mapress adaptor jaw ZB 324 [3]</p>	90796	108 mm
HCPS		
 <p>Geberit Mapress pressing tool HCPS</p>	691.420.P5.1	76.1 / 88.9 / 108 mm
	691.422.1P.1	76.1 / 88.9 / 108 mm



- Older 66.7mm collars can only be used for copper with a compatibility [2] tool, the latest variant 691.185.00.3 can be used for copper and carbon steel with compatibility [2].

Assortment overview: Geberit pressing collars

Geberit Great Britain, version: February 2018

		Pressing collar, new - d76.1	Pressing collar, new - d88.9	Pressing collar, new - d108
				
		90797	90798	90799
Compatibility [3] - new				
90795 Geberit Mapress adaptor jaw ZB 323 [3]		✓	✓	✓
90796 Geberit Mapress adaptor jaw ZB 324 [3]				✓
Compatibility [2XL] - new				
691.186.00.1 Geberit Mapress adaptor jaw ZB 221 [2XL]		✓	✓	✓
691.187.00.1 Geberit Mapress adaptor jaw ZB 222 [2XL]				✓

✓ Compatible

Tools

Tools for Geberit Mapress
Pressing tools compatibility [1]

Pressing tools compatibility [1]

New

Geberit Mapress set of pressing jaws [1]



Application purposes

- For pressing tools with Geberit compatibility [1]
- For pressing Geberit Mapress pressfittings

Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

Scope of delivery

- Pressing jaws [1]
- Pipe cutter
- Pipe deburrer
- Insertion distance template with marker pen
- PowerTest

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
690.190.00.1	12 / 15 / 18 / 22 / 28 / 35	1	973.53
690.195.00.1	12 / 15 / 22 / 28 / 35	1	853.79
690.191.00.1	15 / 18 / 22 / 28	1	738.91
690.192.00.1	15 / 18 / 22 / 28 / 35	1	859.93
690.193.00.1	15 / 22 / 28 / 35	1	750.19

Available as of July 2018



- Replacement for art. no. 691.090.00.2, 691.091.00.1, 691.092.00.2, 691.093.00.2, 691.094.00.1

Geberit Mapress set of pressing jaws [1]



Application purposes

- For pressing tools with Geberit compatibility [1]
- For pressing Geberit Mapress pressfittings

Scope of delivery

- Pressing jaws [1]
- Pipe cutter
- Pipe deburrer
- Insertion distance template with marker pen

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
691.090.00.2 PO	12 / 15 / 18 / 22 / 28 / 35	1	983.35
691.091.00.1 PO	15 / 18 / 22 / 28	1	778.23
691.092.00.2 PO	15 / 18 / 22 / 28 / 35	1	867.66
691.093.00.2 PO	15 / 22 / 28 / 35	1	778.23

PO: Phase out as of July 2018

New

Geberit Mapress pressing jaw [1]



Application purposes

- For pressing tools with Geberit compatibility [1]
- For pressing Geberit Mapress pressfittings

Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
690.121.00.1	12	1	153.60
690.122.00.1	15	1	156.68
690.123.00.1	18	1	159.74
690.124.00.1	22	1	163.84
690.125.00.1	28	1	166.92
690.126.00.1	35	1	171.02

Available as of July 2018

Accessories

- Geberit PowerTest → p. 20



- Replacement for art. no. 90241, 90242, 90243, 90244, 90245, 90246

Geberit Mapress pressing jaw [1]



Application purposes

- For pressing tools with Geberit compatibility [1]
- For pressing Geberit Mapress pressfittings

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
90241 PO	12	1	168.32
90242 PO	15	1	168.32
90243 PO	18	1	168.32
90244 PO	22	1	168.32
90245 PO	28	1	168.32
90246 PO	35	1	168.32

PO: Phase out as of July 2018

Tools

Tools for Geberit Mapress
Pressing tools compatibility [1]

New

Geberit pressing tool ACO 103plus [1], in case



Application purposes

- For pressing Geberit pressing systems

Characteristics

- Geberit compatibility [1]
- Head rotating
- With Bluetooth® interface for the NovoCheck app
- Hydraulic

Technical data

Nominal force	19 kN
Protection class	III
Protection degree	IP20
Operating voltage	12 V DC
Power consumption	240 W

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	SU1 [pc.]	GBP/pc.
691.017.P5.1	230 V / 50–60 Hz	55	BS 1363 A	1	1707.62

Available as of July 2018

Accessories

- Carrying belt for Geberit case



- Replacement for art. no. 691.015.P5.1

Geberit pressing tool ACO 102 [1], in case



Application purposes

- For pressing Geberit pressing systems

Characteristics

- Geberit compatibility [1]
- Hydraulic
- Head rotating

Technical data

Nominal force	19 kN
Protection class	III
Protection degree	IP20
Operating voltage	12 V DC
Power consumption	240 W
Rechargeable battery type	lithium-ion battery

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	SU1 [pc.]	GBP/pc.
691.015.P5.1 PO	230 V / 50–60 Hz	55	BS 1363 A	1	1707.62

PO: Phase out as of July 2018

Accessories

- Carrying belt for Geberit case

Technical data

Rechargeable battery type	lithium-ion battery
Operating temperature	-20 - +60 °C
Operating temperature, rechargeable battery	-10 - +50 °C
Sound pressure level at user's ear	75.5 dB(A)
Maximum sound power level	86.5 dB(A)
Vibration emission value	≤ 2.5 m/s ²
Weight	1.7 kg

Scope of delivery

- Battery-operated pressing tool [1], 12 V DC
- Battery charger
- BRUNOX® Turbo-Spray®
- 2 lithium-ion rechargeable batteries, 12 V / 1.5 Ah
- Case

Technical data

Operating temperature	-20 - +60 °C
Operating temperature, rechargeable battery	-10 - +50 °C
Sound pressure level at user's ear	75.5 dB(A)
Maximum sound power level	86.5 dB(A)
Vibration emission value	≤ 2.5 m/s ²
Weight	1.7 kg

Scope of delivery

- Battery-operated pressing tool [1], 12 V DC
- Battery charger
- BRUNOX® Turbo-Spray®
- 2 lithium-ion rechargeable batteries, 12 V / 1.5 Ah
- Case

Geberit Li-ion battery 12 V



Application purposes

- For Geberit pressing tools ACO 103plus
- For Geberit pressing tools ACO 102

Technical data

Operating temperature	-10 - +50 °C
-----------------------	--------------

Art. no.	Nominal voltage / mains frequency	Battery capacity [Ah]	SU1 [pc.]	GBP/pc.
690.016.00.1	12 V DC	1.5	1	175.15

Geberit battery charger 12 V



Application purposes

- For Geberit lithium-ion batteries 12 V
- For Geberit pressing tools ACO 103plus
- For Geberit pressing tools ACO 102

Technical data

Output voltage	12 V DC
Charging current	3 A

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	Battery charge time [min]	SU1 [pc.]	GBP/pc.
242.614.P5.1	230 V / 50–60 Hz	55	BS 1363 A	30	1	160.48

Pressing tools compatibility [2]

New

Geberit Mapress set of pressing jaws [2]



Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mapress pressfittings

Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

Scope of delivery

- Pressing jaws [2]
- Pipe cutter
- Pipe deburrer
- Insertion distance template with marker pen
- PowerTest

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
690.230.00.1	12 / 15 / 18 / 22 / 28 / 35	1	1201.30
690.235.00.1	12 / 15 / 22 / 28 / 35	1	1021.15
690.231.00.1	15 / 18 / 22 / 28	1	837.00
690.232.00.1	15 / 18 / 22 / 28 / 35	1	1029.16
690.233.00.1	15 / 22 / 28 / 35	1	849.01

Available as of July 2018

Accessories

- Case for Geberit pressing jaws [2], [3] → p. 12



- Not suitable for Geberit pressing tools PWH 40
- Replacement for art. no. 691.290.00.1, 691.291.00.1, 691.292.00.1, 691.293.00.1, 691.295.00.1

Prices exclusive of VAT

Tools

Tools for Geberit Mapress
Pressing tools compatibility [2]

Geberit Mapress set of pressing jaws [2]



Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mapress pressfittings

Scope of delivery

- Pressing jaws [2]
- Pipe cutter
- Pipe deburrer
- Insertion distance template with marker pen

Art. no.		d, ø [mm]	SU1 [pc.]	GBP/pc.
691.290.00.1	PO	12 / 15 / 18 / 22 / 28 / 35	1	1331.01
691.295.00.1	PO	12 / 15 / 22 / 28 / 35	1	1143.07
691.291.00.1	PO	15 / 18 / 22 / 28	1	940.71
691.292.00.1	PO	15 / 18 / 22 / 28 / 35	1	1143.07
691.293.00.1	PO	15 / 22 / 28 / 35	1	955.14

PO: Phase out as of July 2018

Accessories

- Case for Geberit pressing jaws [2], [3] → p. 12



- Not suitable for Geberit pressing tools PWH 40

New

Geberit Mapress pressing jaw [2]



Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mapress pressfittings

Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

Art. no.		d, ø [mm]	SU1 [pc.]	GBP/pc.
690.221.00.1		12	1	172.14
690.222.00.1		15	1	176.13
690.223.00.1		18	1	180.15
690.224.00.1		22	1	184.14
690.225.00.1		28	1	188.14
690.226.00.1		35	1	192.16

Available as of July 2018

Accessories

- Case for Geberit pressing jaws [2], [3] → p. 12
- Geberit PowerTest → p. 20



- Not suitable for Geberit pressing tools PWH 40
- Replacement for art. no. 90531, 90532, 90533, 90534, 90535, 90536

Geberit Mapress pressing jaw [2]



Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mapress pressfittings

Art. no.		d, ø [mm]	SU1 [pc.]	GBP/pc.
90531	PO	12	1	197.33
90532	PO	15	1	197.33
90533	PO	18	1	197.33
90534	PO	22	1	197.33
90535	PO	28	1	197.33
90536	PO	35	1	197.33

PO: Phase out as of July 2018

Accessories

- Case for Geberit pressing jaws [2], [3] → p. 12



- Not suitable for Geberit pressing tools PWH 40

Case for Geberit pressing jaws [2], [3]



Characteristics

- Can be equipped with six Geberit Mepla pressing jaws [2]
- Can be equipped with six Geberit Mapress pressing jaws [2] or [3]
- Can be equipped with Geberit Mepla deburring and calibration tool ø 16–50 mm
- Can be equipped with a Geberit Mapress pipe deburrer ø 12–54 mm
- Can be equipped with a Geberit Mapress pipe cutter up to ø 50 mm or Geberit scissors

- Can be equipped with a Geberit Mapress pipe cutter up to ø 54 mm
- Can be equipped with a Geberit Mapress insertion distance template with marker pen
- Can be equipped with a BRUNOX® Turbo-Spray® 100 ml
- Can be equipped with a Geberit grease pencil and two-meter ruler

Technical data

Material	ABS
----------	-----

Art. no.		SU1 [pc.]	GBP/pc.
691.137.00.1		1	98.22

Accessories

- Carrying belt for Geberit case

Tools

Tools for Geberit Mapress
Pressing tools compatibility [2]

Geberit Mapress set of pressing collars [2], in case



Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mapress pressfittings

Scope of delivery

- Pressing collars
- Adaptor jaw ZB 203 [2]
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen
- Case

Art. no.		d, ø [mm]	SU1 [pc.]	GBP/pc.
691.296.00.2		42 / 54	1	1902.82
691.297.00.3	N	42 / 54 / 66.7	1	3014.76

N: New, available as of July 2017

Accessories

- Carrying belt for Geberit case



- Latest variant (691.297.00.3) collars suitable for pressing 66.7mm Mapress Carbon Steel with [2] tools.
- Not suitable for Geberit pressing tools PWH 40
- Replacement for art. no. 691.297.00.2

Geberit Mapress pressing collar [2], [3]



Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing tools with Geberit compatibility [3]
- For pressing Geberit Mapress pressfittings

- Dimension ø 35 is exclusively suitable for pressing Geberit Mapress Stainless Steel and Carbon Steel for operating pressure up to 25 bar / 2500 kPa

Art. no.		d, ø [mm]	SU1 [pc.]	GBP/pc.
691.181.00.1		35	1	1540.69
691.182.00.1		42	1	743.41
691.183.00.1		54	1	743.41
691.185.00.3	N	66.7	1	969.67

N: New, available as of July 2017

To order additionally

- Geberit adaptor jaw ZB 203 [2] → p. 13
- Geberit Mapress adaptor jaw ZB 303 [3] → p. 41



- Latest variant 66.7mm collar (691.185.00.3) is suitable for pressing 66.7mm Mapress Carbon Steel with [2] tools.
- Not suitable for Geberit pressing tools PWH 40
- Replacement for art. no. 691.185.00.1

Geberit adaptor jaw ZB 203 [2]



Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing with Geberit Mepla pressing collars [2]
- For pressing with Geberit Mapress pressing collars [2]

Art. no.	SU1	GBP/pc.
	[pc.]	
691.180.00.1	1	289.27



- Also for use with compatibility [2XL] tool for Geberit Mapress collars up to 66.7 mm
- Not suitable for Geberit pressing tools PWH 40

Geberit hand-operated pressing tool MFP 2 [2]



Application purposes

- For pressing Geberit pressing systems

Characteristics

- Geberit compatibility [2]
- Hydraulic

Technical data

Nominal force	32 kN
Operating temperature	-20 - +60 °C
Weight	4.5 kg

Scope of delivery

- Case

Art. no.	SU1	GBP/pc.
	[pc.]	
90523	1	1179.58

Geberit pressing tool EFP 203 [2], in case



Application purposes

- For pressing Geberit pressing systems

Characteristics

- Geberit compatibility [2]
- Head rotating
- Hydraulic

Technical data

Nominal force	32 kN
Protection class	II
Protection degree	IP30

Technical data

Cable length	5 m
Operating temperature	-20 - +60 °C
Sound pressure level at user's ear	78 dB(A)
Vibration emission value	≤ 2.5 m/s ²
Weight	3 kg

Scope of delivery

- Pressing tool [2]
- BRUNOX® Turbo-Spray®
- Case

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	SU1	GBP/pc.
				[pc.]	
691.113.1P.1	115 V / 50–60 Hz	450	CEE 17 4h, yellow	1	1396.82
691.113.P5.1	230 V / 50–60 Hz	450	BS 1363 A	1	1316.24

Accessories

- Carrying belt for Geberit case



- 230V for normal UK mains supplies, 115V for UK construction site use.

Tools

Tools for Geberit Mapress
Pressing tools compatibility [2]

Geberit pressing tool ECO 203 [2], in case



Application purposes

- For pressing Geberit pressing systems

Characteristics

- Geberit compatibility [2]
- LED pressing point light
- Hydraulic

Technical data

Nominal force	32 kN
Protection class	II
Protection degree	IP20
Cable length	5 m

Technical data

Operating temperature	-20 - +60 °C
Sound pressure level at user's ear	78.5 dB(A)
Vibration emission value	≤ 2.5 m/s ²
Weight	3.2 kg

Scope of delivery

- Pressing tool [2]
- BRUNOX® Turbo-Spray®
- Case

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	SU1 [pc.]	GBP/pc.
691.214.1P.1	115 V / 50–60 Hz	450	CEE 17 4h, yellow	1	1530.04
691.214.P5.1	230 V / 50–60 Hz	450	BS 1363 A	1	1530.04

Accessories

- Carrying belt for Geberit case



- 230V for normal UK mains supplies, 115V for UK construction site use.

New

Geberit pressing tool ACO 203plus [2], in case



Application purposes

- For pressing Geberit pressing systems

Characteristics

- Geberit compatibility [2]
- LED pressing point light
- With Bluetooth® interface for the NovoCheck app
- Hydraulic
- Brushless motor

Technical data

Nominal force	32 kN
Protection class	III
Protection degree	IP20
Operating voltage	18 V DC
Power consumption	450 W

Technical data

Rechargeable battery type	lithium-ion battery
Operating temperature	-20 - +60 °C
Operating temperature, rechargeable battery	-10 - +50 °C
Sound pressure level at user's ear	78 dB(A)
Maximum sound power level	89 dB(A)
Vibration emission value	≤ 2.5 m/s ²
Weight	2.8 kg

Scope of delivery

- Battery-operated pressing tool [2], 18 V DC
- Battery charger
- BRUNOX® Turbo-Spray®
- 2 lithium-ion rechargeable batteries, 18 V / 1.5 Ah
- Case

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	SU1 [pc.]	GBP/pc.
691.218.P5.2	230 V / 50–60 Hz	90	BS 1363 A	1	2078.20

Available as of April 2018

Accessories

- Carrying belt for Geberit case



- Replacement for art. no. 691.218.P5.1

Geberit Li-ion battery 18 V



Application purposes

- For Geberit pressing tools ACO 203plus
- For Geberit pressing tools ACO 203XLplus
- For Geberit pressing tools ACO 202
- Für Geberit pressing tools ACO 203
- For Geberit pressing tools ACO 203XL

Characteristics

- Charge level indicator

Technical data

Operating temperature	-10 - +50 °C
-----------------------	--------------

Art. no.	Nominal voltage / mains frequency	Battery capacity [Ah]	SU1 [pc.]	GBP/pc.
690.599.00.1	18 V DC	1.5	1	228.66
690.600.00.1	N 18 V DC	5	1	484.16

N: New, available as of September 2017

Geberit battery charger 18 V



Application purposes

- For Geberit lithium-ion batteries 18 V
- For Geberit pressing tools ACO 203plus
- For Geberit pressing tools ACO 203XLplus
- For Geberit pressing tools ACO 202
- Für Geberit pressing tools ACO 203
- For Geberit pressing tools ACO 203XL

Technical data

Output voltage	18 V DC
Charging current	3 A

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	Battery charge time [min]	SU1 [pc.]	GBP/pc.
690.598.P5.1	230 V / 50–60 Hz	90	BS 1363 A	30	1	189.72

Tools

Tools for Geberit Mapress
Pressing tools compatibility [2XL]

Pressing tools compatibility [2XL]

Geberit Mapress set of pressing collars [2XL], in case



Application purposes

- For Geberit pressing tools ACO 203XL
- For pressing Geberit Mapress pressfittings

Scope of delivery

- Pressing collars
- Adaptor jaw ZB 221 [2XL]
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen
- Case

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
691.188.00.1	76.1 / 88.9	1	2641.83

Accessories

- Carrying belt for Geberit case

Geberit Mapress pressing collar set [2XL], in case



Application purposes

- For Geberit pressing tools ACO 203XL
- For pressing Geberit Mapress pressfittings

Scope of delivery

- Pressing collar, ø 108 mm
- Adaptor jaw ZB 222 [2XL] for final pressing
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen
- Case

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
691.189.00.1	108	1	2222.39

To order additionally

- Geberit Mapress adaptor jaw ZB 221 [2XL] → p. 37

Accessories

- Carrying belt for Geberit case

Geberit Mapress pressing collar [2XL] / [3]



Application purposes

- For pressing tools with Geberit compatibility [2XL]
- For pressing tools with Geberit compatibility [3]
- For pressing Geberit Mapress pressfittings

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
90797	76.1	1	824.56
90798	88.9	1	932.31
90799	108	1	1344.03

To order additionally

- Geberit Mapress adaptor jaw ZB 221 [2XL] → p. 37
- Geberit Mapress adaptor jaw ZB 222 [2XL] → p. 37
- Geberit Mapress adaptor jaw ZB 323 [3] → p. 41
- Geberit Mapress adaptor jaw ZB 324 [3] → p. 41

Geberit Mapress adaptor jaw ZB 221 [2XL]



Application purposes

- For pressing tools with Geberit compatibility [2XL]
- For pressing with Geberit Mapress pressing collars [3] of \varnothing 76.1 and \varnothing 88.9 mm
- For preliminary pressing of Geberit Mapress pressing collars [3] \varnothing 108 mm

Scope of delivery

- Case

Art. no.	d, \varnothing [mm]	SU1 [pc.]	GBP/pc.
691.186.00.1	76.1 / 88.9 / 108	1	740.41

Geberit Mapress adaptor jaw ZB 222 [2XL]



Application purposes

- For pressing tools with Geberit compatibility [2XL]
- For final pressing of Geberit Mapress pressing collars [3] \varnothing 108 mm

Scope of delivery

- Case

Art. no.	d, \varnothing [mm]	SU1 [pc.]	GBP/pc.
691.187.00.1	108	1	740.41

Tools

Tools for Geberit Mapress
Pressing tools compatibility [3]

New

Geberit pressing tool ACO 203XLplus [2XL], in case



Application purposes

- For pressing Geberit pressing systems

Characteristics

- Geberit compatibility [2]
- Geberit compatibility [2XL]
- LED pressing point light
- With Bluetooth® interface for the NovoCheck app
- Hydraulic
- Brushless motor

Technical data

Nominal force	32 kN
Protection class	III
Protection degree	IP20
Operating voltage	18 V DC

Technical data

Power consumption	450 W
Rechargeable battery type	lithium-ion battery
Operating temperature	-20 - +60 °C
Operating temperature, rechargeable battery	-10 - +50 °C
Sound pressure level at user's ear	78 dB(A)
Maximum sound power level	89 dB(A)
Vibration emission value	≤ 2.5 m/s ²
Weight	3.8 kg

Scope of delivery

- Battery-operated pressing tool [2XL] 18 V DC
- Battery charger
- BRUNOX® Turbo-Spray®
- 2 lithium-ion rechargeable batteries, 18 V / 1.5 Ah
- Case

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	SU1 [pc.]	GBP/pc.
691.228.P5.2	230 V / 50-60 Hz	90	BS 1363 A	1	2814.29

Available as of April 2018

Accessories

- Carrying belt for Geberit case



- The ACO 203XLplus tool operates as a compatibility [2] tool up to 66.7mm and can use Geberit's [2] jaws, adaptors and collars under the same conditions. For sizes bigger than 66.7mm then the 2XL adaptor jaws and [3] collars must be used.
- Replacement for art. no. 691.228.P5.1

Pressing tools compatibility [3]

Geberit Mapress set of pressing jaws [3]



Application purposes

- For pressing tools with Geberit compatibility [3]
- For pressing Geberit Mapress pressfittings

Scope of delivery

- Pressing jaws [3]
- Pipe cutter
- Pipe deburrer
- Insertion distance template with marker pen

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
691.390.00.1	12 / 15 / 18 / 22 / 28 / 35	1	2120.89
691.391.00.1	15 / 18 / 22 / 28	1	1622.52
691.392.00.1	15 / 18 / 22 / 28 / 35	1	1982.52
691.393.00.1	15 / 22 / 28 / 35	1	1622.52

Accessories

- Case for Geberit pressing jaws [2], [3] → p. 12

Geberit Mapress pressing jaw [3]



Application purposes

- For pressing tools with Geberit compatibility [3]
- For pressing Geberit Mapress pressfittings

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
90641	12	1	339.58
90642	15	1	339.58
90643	18	1	339.58
90644	22	1	339.58
90645	28	1	339.58
90646	35	1	339.58

Accessories

- Case for Geberit pressing jaws [2], [3] → p. 12

Geberit Mapress set of pressing collars [3], in case



Application purposes

- For Geberit pressing tools ECO 3, ECO 301, ACO 3, EFP 3 and AFP 3
- For pressing Geberit Mapress pressfittings

Scope of delivery

- Pressing collars
- Adaptor jaw ZB 303 [3]
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen
- Case

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
691.396.00.2	42 / 54	1	1990.31
691.397.00.3 N	42 / 54 / 66.7	1	3089.54

N: New, available as of July 2017

Accessories

- Carrying belt for Geberit case



- Replacement for art. no. 691.397.00.2

Geberit Mapress set of pressing collars [3], in case



Application purposes

- For Geberit pressing tools ECO 3 and ECO 301
- For pressing Geberit Mapress pressfittings

Scope of delivery

- Pressing collars
- Adaptor jaw ZB 323 [3]
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen
- Case

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
691.388.00.1	76.1 / 88.9	1	2505.45

Accessories

- Carrying belt for Geberit case

Tools

Tools for Geberit Mapress
Pressing tools compatibility [3]

Geberit Mapress pressing collar set [3], in case



Application purposes

- For Geberit pressing tools ECO 3 and ECO 301
- For pressing Geberit Mapress pressfittings

Scope of delivery

- Pressing collar, \varnothing 108 mm
- Adaptor jaw ZB 324 [3] for final pressing
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen
- Case

Art. no.	d, \varnothing [mm]	SU1 [pc.]	GBP/pc.
691.389.00.1	108	1	2108.48

To order additionally

- Geberit Mapress adaptor jaw ZB 323 [3] → p. 41

Accessories

- Carrying belt for Geberit case

Geberit Mapress pressing collar [2], [3]



Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing tools with Geberit compatibility [3]
- For pressing Geberit Mapress pressfittings

- Dimension \varnothing 35 is exclusively suitable for pressing Geberit Mapress Stainless Steel and Carbon Steel for operating pressures up to 25 bar / 2500 kPa

Art. no.	d, \varnothing [mm]	SU1 [pc.]	GBP/pc.
691.181.00.1	35	1	1540.69
691.182.00.1	42	1	743.41
691.183.00.1	54	1	743.41
691.185.00.3 N	66.7	1	969.67

N: New, available as of July 2017

To order additionally

- Geberit adaptor jaw ZB 203 [2] → p. 13
- Geberit Mapress adaptor jaw ZB 303 [3] → p. 41



- Latest variant 66.7mm collar (691.185.00.3) is suitable for pressing 66.7mm Mapress Carbon Steel with [2] tools.
- Not suitable for Geberit pressing tools PWH 40
- Replacement for art. no. 691.185.00.1

Geberit Mapress pressing collar [2XL] / [3]



Application purposes

- For pressing tools with Geberit compatibility [2XL]
- For pressing tools with Geberit compatibility [3]
- For pressing Geberit Mapress pressfittings

Art. no.	d, \varnothing [mm]	SU1 [pc.]	GBP/pc.
90797	76.1	1	824.56
90798	88.9	1	932.31
90799	108	1	1344.03

To order additionally

- Geberit Mapress adaptor jaw ZB 221 [2XL] → p. 37
- Geberit Mapress adaptor jaw ZB 222 [2XL] → p. 37
- Geberit Mapress adaptor jaw ZB 323 [3] → p. 41
- Geberit Mapress adaptor jaw ZB 324 [3] → p. 41

Geberit Mapress adaptor jaw ZB 303 [3]



Application purposes

- For pressing tools with Geberit compatibility [3]
- For pressing with Geberit Mapress pressing collars [3]

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
90648	35 / 42 / 54 / 66.7	1	382.76

Geberit Mapress adaptor jaw ZB 323 [3]



Application purposes

- For Geberit pressing tools ECO 3 and ECO 301
- For pressing with Geberit Mapress pressing collars [3] of ø 76.1 and ø 88.9 mm
- For preliminary pressing of Geberit Mapress pressing collars [3] ø 108 mm

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
90795	76.1 / 88.9 / 108	1	679.39

Geberit Mapress adaptor jaw ZB 324 [3]



Application purposes

- For Geberit pressing tools ECO 3 and ECO 301
- For final pressing of Geberit Mapress pressing collars [3] ø 108 mm

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
90796	108	1	679.39

Tools

Tools for Geberit Mapress
Pressing tools HCPS

Geberit pressing tool ECO 301 [3], in case



Application purposes

- For pressing Geberit Mapress pressing systems

Characteristics

- Geberit compatibility [3]

Technical data

Nominal force	45 kN
Protection class	II
Protection degree	IP20
Cable length	5 m

Art. no.	Nominal voltage / mains frequency	Power consumption [W]	Plug type	SU1 [pc.]	GBP/pc.
691.310.P5.3	230 V / 50 Hz	560	BS 1363 A	1	2958.37
691.312.1P.3	115 V / 50 Hz	560	CEE 17 4h, yellow	1	2958.37

Accessories

- Carrying belt for Geberit case



- 230V for normal UK mains supplies, 115V for UK construction site use.

Pressing tools HCPS

Geberit Mapress pressing tool HCPS



Application purposes

- For pressing Geberit Mapress Stainless Steel pressfittings
- For pressing Geberit Mapress Carbon Steel pressfittings
- For pressing Geberit MapressCuNiFe pressfittings

Characteristics

- Hydraulic
- Hydraulic hose with control line, length 5 m
- Can be equipped with Geberit electric pipe deburrer RE 1

Technical data

Nominal force	190 kN
Protection class	I
Protection degree	IP44
Control voltage	24 V DC
Power consumption	800 W
Cable length	2.5 m

Art. no.	d, Ø [mm]	Nominal voltage / mains frequency	Power consumption [W]	Plug type	SU1 [pc.]	GBP/pc.
691.420.P5.1	76.1 / 88.9 / 108	230 V / 50 Hz	800	BS 1363 A	1	16622.42
691.422.1P.1	76.1 / 88.9 / 108	115 V / 50 Hz	800	CEE 17 4h, yellow	1	16622.42

Technical data

Operating temperature	-20 - +60 °C
Sound pressure level at user's ear	78 dB(A)
Vibration emission value	≤ 2.5 m/s ²
Weight	5 kg

Scope of delivery

- Pressing tool [3]
- BRUNOX® Turbo-Spray®
- Case


Technical data

Maximum operating pressure	180 bar
Operating temperature	-20 - +60 °C
Filling capacity, hydraulic oil	3.5 l
Sound pressure level at user's ear	78 dB(A)
Vibration emission value	≤ 2.5 m/s ²
Weight	110 kg

Scope of delivery

- Pressing cylinder with hydraulic hose
- Transport trolley with case
- Assembly clamp MH1
- Pressing collars
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen

Geberit extension hydraulic hose with control line



Application purposes

- For Geberit pressing tools HCPS

Characteristics

- Can be extended to a maximum of 15 m

Art. no.	L [m]	SU1 [pc.]	GBP/pc.
90562	5	1	353.78

Pipe processing tools

Geberit Mapress pipe cutter R



Application purposes

- For cutting Geberit Mapress system pipes to length

Characteristics

- Spare cutting wheel in handle

Art. no.	d, Ø [mm]	Model	SU1 [pc.]	GBP/pc.
91087	12-35	35S	1	99.21
91088	12-54	65S	1	133.22

Set of cutting wheels for Geberit Mapress pipe cutter R



Scope of delivery

- 2 cutting wheels
- Axle

Art. no.	d, Ø [mm]	SU3 [pc.]	SU1 [pc.]	GBP/pc.
91092	12-54	10	1	31.81

Geberit Mapress pipe deburrer



Application purposes

- For deburring the inside and outside of Geberit Mapress system pipes
- For deburring the inside and outside of standard copper pipes

Art. no.	d, Ø [mm]	SU1 [pc.]	GBP/pc.
90357	12-35	1	26.51
90363	12-54	1	55.28

Tools

Tools for Geberit Mapress
Pressing tools HCPS

Milling cutter for Geberit Mapress electric pipe deburrer RE 1



Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
90365	15-108	1	190.91

Geberit Mapress stripping tool



Application purposes

- For removing the plastic jacketing from the insertion area on Geberit Mapress system pipes

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
90371	12	1	43.80
90372	15	1	43.80
90373	18	1	43.80
90374	22	1	43.80
90375	28	1	43.80

Geberit Mapress stripping tool



Application purposes

- For removing the plastic jacketing from the insertion area on Geberit Mapress system pipes

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
90376	35 / 42 / 54	1	51.97

Blade for Geberit Mapress stripping tool



Art. no.	d, ø [mm]	SU2 [pc.]	GBP/pc.
90391	12 / 15 / 18	10	4.21
90394	22 / 28	10	4.21
90396	35 / 42 / 54	10	4.21

Geberit Mapress insertion distance template with marker pen



Application purposes

- For marking the insertion distance on Geberit Mapress system pipes

Art. no.	d, ø [mm]	SU3 [pc.]	SU1 [pc.]	GBP/pc.
90351	12-108	10	1	6.01

Geberit Mapress marker pen



Application purposes

- For Geberit Mapress insertion distance templates
- For marking the insertion distance on Geberit Mapress system pipes

Art. no.	Tip	SU3 [pc.]	SU2 [pc.]	GBP/pc.
90358	rounded	50	5	2.40

Geberit Mapress assembly clamp MH 1



Application purposes

- For fixing unpressed Geberit Mapress pipe/fitting joints

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
90563	54–108	1	342.70

Pressure test plugs

Geberit Mapress pressure test plug for fitting



Application purposes

- For temporarily closing Geberit Mapress fittings during the pressure test
- For pressure tests with cold water up to 22.5 bar / 2250 kPa
- For pressure tests with air up to 3 bar / 300 kPa

Characteristics

- Reusable
- O-ring made of NBR, black
- ø 15–22 mm, without ventilation
- ø 28–108 mm, with ventilation
- ø 42–54 mm, with female thread G 1/2"
- ø 76.1–108 mm, with female thread G 3/4"

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
90922	15	1	48.81
90923	18	1	48.05
90924	22	1	51.87
90925	28	1	69.29
90926	35	1	74.87
90927	42	1	99.40
90928	54	1	127.52
90929	76.1	1	220.98
90930	88.9	1	270.05
90931	108	1	330.60

Tools

Tools for Geberit Mapress
Accessories

Seal for Geberit Mapress pressure test plug



Technical data

Material	NBR
----------	-----

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
90341	15	1	1.58
90342	18	1	1.63
90343	22	1	1.68

Set of seals for Geberit Mapress pressure test plug



Technical data

Material	NBR
----------	-----

Scope of delivery

- 2 seals

Art. no.	d, ø [mm]	SU1 [pc.]	GBP/pc.
90344	28	1	2.10
90345	35	1	2.33
90346	42	1	2.86
90347	54	1	3.34
90348	76.1	1	18.03
90349	88.9	1	36.22
90350	108	1	51.93

Accessories

BRUNOX® Turbo-Spray®



Application purposes

- For cleaning and lubricating Geberit tools

Characteristics

- Content 125 ml

Art. no.	SU3 [pc.]	SU1 [pc.]	GBP/pc.
90000	10	1	23.67

Geberit gearbox grease



Application purposes

- For Geberit pressing tools EFP 2

Art. no.	SU1 [pc.]	GBP/pc.
90010	1	23.44

Appendix

Abbreviation

Abbreviation	Designation
I1	length, partial dimension (cm)
L2	length (cm)
I2	length, partial dimension (cm)
L3	length (cm)
I3	length, partial dimension (cm)
La	linear expansion (cm)
IK	grip length, screw (cm)
M	metric thread (mm)
m	bolt hole diameter (cm)
n	number of bolts, flange connection (PC)
PN	nominal pressure (bar)
R	taper external thread (")
r	radius (cm)
DN	nominal width
R1	taper external thread (")
Rg	round thread (")
Rp	taper internal pipe thread (")
Rp1	taper internal pipe thread (")
Rp2	taper internal pipe thread (")
S	pipe series
s	wall thickness (mm)
s1	wall thickness (mm)
SW	spanner width (mm)
A	projection (cm)
s ISO	wall thickness (for labels) (mm)
a	partial dimension (cm)
A1	projection (cm)
V	measuring range, volumetric flow rate (l/min)
a1	partial dimension (cm)
AB	connection area (mm)
AB1	connection area (mm)
AB2	connection area (mm)
Acm ²	clear cross-sectional area (cm ²)
AD	connecting distance (cm)
arc	angle (°)
AD1	connecting distance (cm)
B	width (cm)
b	partial dimension (cm)
B1	width (cm)
c	flange hole diameter (mm)
d, ø	outer diameter (mm)
UNC	inch thread
D	outer diameter (cm)
d1, ø	outer diameter (mm)

Abbreviation	Designation
D1	outer diameter (cm)
d2, ø	outer diameter (mm)
d3, ø	outer diameter (mm)
da	outer pipe diameter (mm)
di, ø	inner diameter (mm)
DN/OD	nominal width
DN	nominal width
E	insertion depth (cm)
E1	insertion depth (cm)
G	pipe thread (")
G1	pipe thread (")
X	leg length / L-dimension (cm)
X1	leg length / L-dimension (cm)
G2	pipe thread (")
X2	leg length / L-dimension (cm)
H	height (cm)
X3	leg length / L-dimension (cm)
h	height, partial dimension (cm)
H1	height (cm)
X4	leg length / L-dimension (cm)
h1	height, partial dimension (cm)
X5	leg length / L-dimension (cm)
h2	height, partial dimension (cm)
h3	height, partial dimension (cm)
k	flange, diameter of bolt circle (cm)
X6	leg length / L-dimension (cm)
Z	Z-dimension (cm)
Z1	Z-dimension (cm)
Z2	Z-dimension (cm)
Z3	Z-dimension (cm)
Z4	Z-dimension (cm)
K	maximum cutting (cm)
Z5	Z-dimension (cm)
K1	maximum cutting (cm)
Z6	Z-dimension (cm)
K2	maximum cutting (cm)
K3	maximum cutting (cm)
KL	cable length (cm)
L	length (cm)
I	length, partial dimension (cm)
L	L / length (m)
L1	length (cm)

Sales and delivery conditions

valid from 1st of April 2018

GENERAL

1. In these Conditions of Sale "The Company" means Geberit Sales Ltd. "The Customer" means the person, firm or company with whom The Company contracts. "The Contract" Any contract between The Company and the Customer for the sale and purchase of the Goods incorporating the Conditions (including any part or parts of them). "The Goods" Any Goods agreed in the Contract to be supplied to the Customer by The Company (including any part or parts of them).
2. These Conditions of Sale apply to and govern any contract between The Company and the Customer to the exclusion of any other conditions contained on, or in, any letter, order form, receipt of similar document emanating from the Customer. No variation of these Conditions of Sale shall be effective unless expressly agreed by The Company in writing.
3. All quotations are for information only and are not to be considered as an offer by The Company. No Contract shall come into existence until an order by the Customer has been accepted by The Company.
- 3.1 Acceptance by The Company of any order shall be on the basis that Goods will be invoiced at the prices contained in The Company's price list current at the date of despatch unless otherwise agreed in writing by The Company.
4. Except where otherwise stated in the contract or in The Company's current price list all prices include the cost of packaging and delivery (but not installation). The Company reserves the right to make additional charges if the Customer requires a method of packaging or delivery different from that normally employed by The Company.
- 4.1 The Customer shall, in addition to the net purchase price, pay to The Company the amount of any Value Added Tax or other sales tax at the rate in force at the time the Goods are invoiced.

GENERAL

5. All Goods will be invoiced at the time of, or soon after, despatch. Payment for the Goods must be received by The Company not later than the last day of the month following the date of the invoice. In the event of late payment The Company reserves the right to charge interest at a rate of 2% per month.
- 5.1 In the event of the Customer postponing delivery, or requesting that The Company suspend the manufacture of the Goods, or failing to give The Company sufficient information to enable it to process any order, the Customer shall pay any additional costs and expenses thereby incurred by The Company.
- 5.2 Unless otherwise agreed in writing by The Company the Customer shall not be entitled to set off against any moneys due to The Company under the Contract any sums claimed by or due to the Customer from The Company under the Contract or any other Contract between The Company and the Customer.

ILLUSTRATION AND DIMENSIONS

6. All information and illustrations contained in brochures, catalogues, price lists, trade literature and advertising material produced by The Company are approximate only, intended to indicate only the general character of the Goods, and do not form any part of any contract between The Company and the Customer.

- 6.1 The dimensions of the Goods are subject to manufacturing tolerances customary within the trade. Dimensions contained in quotations, acknowledgements of orders, or catalogues, price lists, advertising matter and other trade literature are therefore approximate only.

SUBSTITUTED GOODS

7. The Company reserves the right to substitute Goods which are similar to the Goods ordered by the Customer provided that such substituted Goods are no less suitable for the purpose for which they are generally used than Goods ordered by the Customer.

DELIVERY

8. The Company cannot offer a timed delivery service, although we will try to meet the customer needs wherever possible. Any deliveries required outside our delivery schedule will be at the customer's expense.
9. Delivery shall be made to the Customer's premises only.
10. The Customer shall be responsible for unloading the Goods at the point of delivery.
11. The Customer will confirm the goods are received at the time of delivery by signing the Proof Of Delivery document (POD) providing a signature, date and printed name.
12. Immediately on collection or delivery, whichever is appropriate, the Customer shall examine the goods. Any shortages, damages or other delivery discrepancies must be notified directly to the Customer Support team of The Company in writing within three working days of delivery or collection. Credits will not be given if a POD has been signed and there have been no reported anomalies within 3 working days of the delivery date.
13. The Company will use its best endeavours to comply with any delivery date, however, collection or delivery dates and times indicated by the Company shall be regarded as best estimates only. The Company cannot be responsible for any loss or damage whatsoever caused by late delivery where circumstance beyond The Company's control have caused such delay.
14. The Company operates a minimum delivery value requirement for deliveries to the Customer's premises. This currently stands at £500.
15. Orders placed below the minimum order value will be subject to a £10 minimum order value charge.
16. Express orders should be placed before our cut offs for delivery the next day. These orders are subject to a carriage charge to the customer and will be priced based on weight.

RETURNS

17. The Company does not operate a returns policy for saleable stock or for stock that is defective or damaged upon receipt. Any agreed stock return is at the discretion of The Company and only with prior written consent. Where such consent is given, a handling charge of a minimum of 30% of invoiced value will be made.

RISK AND RETENTION OF OWNERSHIP

18. The risk in the Goods contracted to be sold by The Company shall pass to the Customer when the Goods are delivered to or collected by the Customer.

19. Notwithstanding any passing of risk to the Customer, The Company retains ownership of the Goods the subject matter of this Contract the property in which shall not pass to the Customer and the Customer shall keep any Goods delivered to it as bailee for and on behalf of The Company until The Company has received full payment of the price of all Goods (whether or not the Goods are delivered in instalments and some have been paid for by the Customer).
- 19.1 Until ownership of the Goods has passed to the Customer the Customer;
- (i) shall insure the Goods against any loss or damage with an insurance office of repute.
- (ii) shall store the Goods separately or in some other way ensure that they are readily identifiable as the property of The Company.
- (iii) irrevocably authorise the representative of The Company at any time and from time to time (whether or not payment is due) to repossess the Goods and for such purpose to enter any premises occupied by the Customer or where the Goods are or are thought to be and to sever the Goods from anything to which they are attached without being responsible for any damage caused.
- (iv) shall keep the Goods free from any charge, lien or other encumbrance
- 19.2 If, while under The Company's ownership, the Goods or any of them are processed or incorporated into other Goods ("the New Goods") then, provided the Goods remain a readily identifiable and removable part of the New Goods, the provisions of conditions (a) and (b) shall apply.
- 19.3 The Company (acting on its own account, not as agent for the Customer) may sell or agree to sell any of the Goods or the New Goods in The Company's possession on such terms as it may in its sole discretion consider appropriate.
- 19.4 The Company shall be entitled to a general lien over all Goods and materials of the Customer which is in The Company's possession or control from time to time for any sums due at any time whatsoever to The Company.
- 19.5 Nothing in this condition shall confer any right upon the Customer to refuse or delay payment therefore.

LIMITATION OF LIABILITIES

20. Goods may be delivered in cartons, bundles, returnable containers, loose or in other packaging. In any case where it is established to the satisfaction of The Company that the Goods have been damaged or lost (whether wholly or in part) in transit The Company will, at its own cost, repair or replace same provided that
- (i) in the case of partial loss or damage, the Customer has returned to The Company's representative (or where the Goods have been delivered by a Carrier his representative) The Company' receipt note duly signed by the Customer's representative and indicating thereon as shortage of or damage to cartons, bundles, returnable containers, loose Goods or other such packages as shall make up the delivery and full particulars are notified directly to The Company in writing within three working days of delivery;
- (ii) in the case of damage the Goods and their packaging are retained by the Customer for inspection by The Company's representative. The Company will not be liable for any loss or damage in transit, except as above.
- 20.1 Where it is established to the satisfaction of The Company that Goods delivered by them or collected by the Customer, contain at the time of receipt by the Customer some defect in quality (not being a defect caused by some act or neglect of the Customer or a third party) and the Goods are returned to The Company at the Customer's expense within three months of despatch to the Customer, The Company will at its own cost repair or replace them (the choice being at The Company's option).

- 20.2 (c) Save as aforesaid and to the extent permitted by law The Company will not be liable to the Customer for any loss or damage whatsoever suffered as a result of a defect in quality or defective installation or the fact that the Goods are not fit for a particular purpose save for the conditions implied by section 12 of the Sale of Goods Act 1979 and without prejudice to the generality of the foregoing any implied term, condition or warranty statutory or otherwise as to the quality of the Goods sold or their fitness for any particular purpose or as to their correspondence with any description or sample
21. is hereby excluded.
22. No warranty or representation given by or on behalf of The Company including without prejudice to the generality of the foregoing any advice as to the installation quantities use or performance of Goods supplied by The Company shall be binding upon The Company unless specifically stated in writing by The Company to be incorporated in the contract. Nothing in these Conditions excludes or limits the liability of The Company for death or personal injury caused by The Company's negligence or fraudulent misrepresentation.

CONSEQUENTIAL LOSS

23. Without prejudice to the generality of the foregoing provisions The Company shall not in any event be liable to the Customer for any indirect or consequential loss of or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise) costs, expenses or other claims for consequential compensation whatsoever (howsoever caused) which arise out of or in connection with the Contract.

INSOLVENCY AND BREACH OF CONTRACT

24. The Company shall have the option (without prejudice to any of its other rights against the Customer) by notice in writing to the Customer to rescind the contract or to suspend delivery in the following events:
- (i) should any sum owing by the Customer to The Company be overdue.
- (ii) should the Customer be in breach of any term of the contract with The Company.
- (iii) should the Customer enter into any composition or arrangement with, or for the benefit of its creditors or have a receiving order in bankruptcy made against him or (if a body corporate) should it go into liquidation either voluntary or compulsory or under supervision or have a receiver and/or manager administrative receiver or administrator appointed over all or any part of its assets, or in Scotland should the Customer become notour bankrupt, or sequestrated, or a receiver, or judicial factor, or trustee is appointed, for any portion of the Customer's estate or effects or suffer any arrestment charge pending or other diligence to be issued or levied upon the Customer his estate or effects.

HEALTH AND SAFETY

25. As The Company is under a duty pursuant to S 6 of the Health and Safety at Work Act 1974 in respect of the design, manufacture and supply of any article for use at work, the Customer shall be deemed to have been afforded by The Company reasonable opportunity for the testing and examination of Goods or materials in respect of their safety and risk to health prior to delivery to the Customer, and he shall be deemed to have been afforded by The Company adequate information about the Goods and materials in respect of the use for which they are designed, and have been tested, and of any conditions necessary to ensure that when put to that use they will be safe and without risk to health, whether or not the said information has been requested by the Customer.

INDUSTRIAL AND INTELLECTUAL PROPERTY RIGHTS

26. The Company is the proprietor or beneficial owner of patents, registered designs, trademarks and tradenames, copyright or other industrial or intellectual property rights relating to the Goods and The Company reserves all such rights to itself and no authorisation of licence is granted to the Customer to use the Goods or any drawing or specifications relating to the same provided to the Customer by The Company otherwise than for the purpose provided.

FORCE MAJEURE

27. The Company reserves the right to defer the date of delivery or to cancel the Contract or reduce the volume of the Goods ordered by the Customer (without liability to the Customer) if it is prevented from or delayed in the carrying on of its business due to circumstances beyond the reasonable control of the Company including without limitation, acts of God, Governmental actions, war or national emergency, riot, civil commotion, fire, explosion, flood, epidemic, lock out, strikes or other labour disputes (whether or not relating to either party's workforce) or restraints or delays affecting carriers or inability or delay in obtaining supplies of adequate suitable materials.

WAIVER

28. Forbearance or indulgence by The Company shown or granted to the Customer whether in respect of these Conditions of Sale or otherwise, shall not affect or prejudice the rights of The Company against the Customer or be taken as a waiver of any of these Conditions of Sale.

GOVERNING LAW

29. Any contract incorporating these Conditions of Sale shall be governed by and construed in accordance with the laws of England and The Company and the Customer hereby agree to submit to the jurisdiction of the English Courts.

HEADNOTES

30. The head notes to these Conditions have been inserted for convenience and shall not affect their construction.

Conditions Of Sale

Geberit Sales Ltd
Geberit House
Edgehill Drive
Warwick
CV34 6NH

Effective January 2018

Index

Art. no.	Page	Art. no.	Page	Art. no.	Page	Art. no.	Page
90000	20	90923	45	690.215.00.1	17	691.185.00.3	32
90010	20	90924	45	690.221.00.1	30	691.186.00.1	37
90241	27	90925	45	690.222.00.1	30	691.187.00.1	37
90242	27	90926	45	690.223.00.1	30	691.188.00.1	36
90243	27	90927	45	690.224.00.1	30	691.189.00.1	36
90244	27	90928	45	690.225.00.1	30	691.214.1P.1	14
90245	27	90929	45	690.226.00.1	30	691.214.P5.1	14
90246	27	90930	45	690.230.00.1	29	691.218.P5.2	15
90341	46	90931	45	690.231.00.1	29	691.228.P5.2	38
90342	46	91087	43	690.232.00.1	29	691.290.00.1	30
90343	46	91088	43	690.233.00.1	29	691.291.00.1	30
90344	46	91092	43	690.235.00.1	29	691.292.00.1	30
90345	46	241.491.00.1	19	690.240.00.1	11	691.293.00.1	30
90346	46	241.492.00.1	19	690.241.00.1	11	691.295.00.1	30
90347	46	241.493.00.1	19	690.242.00.1	11	691.296.00.2	32
90348	46	241.494.00.1	19	690.243.00.1	11	691.297.00.3	32
90349	46	241.495.00.1	19	690.244.00.1	11	691.310.P5.3	42
90350	46	241.496.00.1	19	690.245.00.1	11	691.312.1P.3	42
90351	44	241.497.00.1	19	690.250.00.1	11	691.388.00.1	39
90357	43	242.614.P5.1	10	690.251.00.1	11	691.389.00.1	40
90358	45	601.485.00.1	19	690.252.00.1	11	691.390.00.1	38
90363	43	602.485.00.1	19	690.253.00.1	11	691.391.00.1	38
90365	44	603.485.00.1	19	690.254.00.1	11	691.392.00.1	38
90371	44	604.485.00.1	19	690.412.00.3	18	691.393.00.1	38
90372	44	605.485.00.1	19	690.467.00.2	12	691.396.00.2	39
90373	44	606.485.00.1	19	690.474.00.1	8	691.397.00.3	39
90374	44	607.485.00.1	19	690.475.00.1	8	691.420.P5.1	42
90375	44	690.016.00.1	10	690.476.00.1	8	691.422.1P.1	42
90376	44	690.111.00.1	17	690.485.00.4	8	958.782.00.1	18
90391	44	690.112.00.1	17	690.486.00.4	8		
90394	44	690.115.00.1	17	690.491.00.1	19		
90396	44	690.121.00.1	27	690.493.00.1	20		
90523	13	690.122.00.1	27	690.598.P5.1	16		
90531	31	690.123.00.1	27	690.599.00.1	15		
90532	31	690.124.00.1	27	690.600.00.1	15		
90533	31	690.125.00.1	27	690.912.00.1	18		
90534	31	690.126.00.1	27	690.913.00.1	18		
90535	31	690.134.00.1	16	690.933.00.5	16		
90536	31	690.140.00.1	9	690.936.00.1	16		
90562	43	690.141.00.1	9	691.015.P5.1	10		
90563	45	690.142.00.1	9	691.017.P5.1	9		
90641	39	690.143.00.1	9	691.090.00.2	26		
90642	39	690.144.00.1	9	691.091.00.1	26		
90643	39	690.180.00.1	8	691.092.00.2	26		
90644	39	690.181.00.1	8	691.093.00.2	26		
90645	39	690.182.00.1	8	691.113.1P.1	14		
90646	39	690.190.00.1	26	691.113.P5.1	14		
90648	41	690.191.00.1	26	691.137.00.1	12		
90795	41	690.192.00.1	26	691.170.00.1	12		
90796	41	690.193.00.1	26	691.171.00.1	12		
90797	36	690.195.00.1	26	691.180.00.1	13		
90798	36	690.211.00.1	17	691.181.00.1	32		
90799	36	690.212.00.1	17	691.182.00.1	32		
90922	45	690.214.00.1	17	691.183.00.1	32		

Geberit Sales Ltd

Geberit House
Edgehill Drive
Warwick
CV34 6NH

T 01926 516 800

F 01926 400 101

In Eire +44 (0)1926 516 800

Literature 0800 007 5133

enquiries@geberit.co.uk

www.geberit.co.uk